


High Density Fibreboard Door $\mid \mathscr{H} \mathscr{D} \mathscr{F}$ collection



- HDF 101 HDF 102 HDF 103
- * Surface with 3mm or 6mm Thk HDF.
- * Hardboard panel with or without groove lines design.
- * Available in single leaf (SL) , double equal leaf (DEL) , unequal double left (UDL).
- * Door available in any sizes.

Important note: This door is not suitable for external use. Eg. Kitchen or back door where it is exposed directly to weather and installing it will void all warranties.









A Natural Grain Of Flat Oak Doors!

- * Flat oak panel with or without groove lines design.

Important note: This door is not suitable for external use. Eg. Kitchen or back door where it is exposed directly to weather and installing it will void all warranties.













FOD 201

FOD 203

FOD 205



FOD 208

FOD 209

FOD 206

FOD 207


24 MONTHS WARRANTY

CRACK RESISTANT




- * Oak grain textured white primed surface.
- * Available in single leaf (SL) , double equal leaf (DEL) , unequal double left (UDL).
- * Not available in 8ft height door.
- * Width size 650mm 910mm.

Important note: This door is not suitable for external use. Eg. Kitchen or back door where it is exposed directly to weather and installing it will void all warranties.






A Reign Of Moulded Victorian Doors!










A Boutique Of Reconstitued Engineered Veneer Doors!

- * Surface with 0.5mm thk veneer laminated onto 3.2mm tropical grade plywood based.
- * Recon plywood panel with or without groove lines design.
- * Available in single leaf (SL), double equal leaf (DEL), unequal double left (UDL).
- * Door available sizes in 3' x 7' and 4' x 8'.



Solid Timber Core

Selection of Core:












RV 601


RV 602

RV 603

RV 604

RV 605











A Boutique Of Vertical Lacquer Natural Veneer Doors!

- * Surface with 0.3mm and 0.5mm thk veneer laminated onto 3.2mm tropical grade plywood based.
- * Natural plywood panel with or without groove lines design.
- * Available in single leaf (SL) , double equal leaf (DEL) , unequal double left (UDL).
- * Door available sizes in 3' x 7' and 4' x 8'.







- * Surface with 3mm or 6mm Thk MDF Melamine flush door skin.
- * Prefinished flush door does not required any more painting.
- * Available in single leaf (SL), double equal leaf (DEL), unequal double left (UDL).
- * Door available sizes in 3' x 7' and 4' x 8'.
- *All vertical grain.







MDFM 706













IMPORTANT HINTS TO PROLONG THE LIFESPAN OF YOUR DOOR:

- Doors need to be sealed on all surfaces and edges with appropriate coatings. Do not remove the plastic wrappings or other packaging from the door until it is use.
- Doors should be stored on a level surface (never on edge or on end) and kept clear of the floor on three level or bearers. The bearers should be longer than the width of the doors.
- Exposure to ultra violet light can cause fading or discolouration of timber veneers on the door face. Thus, it is recommended to store the doors at shaded area.
- Ensure that the moisture content of the wood is kept close to the level to it which was when the door was manufactured.
- Internal doors must be conditioned to the service conditions before fixing. They must be protected from abnormal heat, extreme dryness, humid conditions or sudden changes of temperature or humidity.
- Prefinished doors should retain their protective packaging until the latest possible time, ideally until after internal decorations have been completed.
- Glazing rebates and backs of beads should be sealed with an appropriate sealant. Ensure surfaces and edges are in good condition before applying finishing coats.
- It is important that all surfaces of doors are painted. Treat the end grain and ensure that good treatment is applied to all surfaces. Pay close attention to top and bottom edges; cut areas for lock and hinge housing and holes of latter plates.

2 YEARS WARRANTY*

HUSKEY Products are guaranteed by HUSKEY NUWOOD SDN. BHD. (herein referred to as "the manufacturer") for two years from the date of shipment to be free from defects arising from faulty workmanship or materials, subject to the following conditions:

- Doors are to be installed and maintained according to the manufacturer's recommendations, and are not to be subjected to misuse, abuse and negligence.
- Doors that have become defective arising from the failure to follow these condition, and that have been subjected to shipment or storage hazards after they have left the control of the manufacturer shall not be covered by this warranty.
- Doors are to be inspected upon arrival for visible defects, and any claim arising thereon must be notified to the manufacturer within fourteen (14) working days.
- 4. The manufacturer shall not be liable for any additional charges of installation and finishing cost, or other charges including incidental cost, arising from the replacement of doors.
- 5. Repairs are to be carried out only by the manufacturer and its appointed agents. There will be no reimbursement for any charges incurred for the repair or replacement of doors without the prior written consent to the manufacturer to such repair and replacement.
- Claims under this Warranty are to be made within one (1) month of the discover of the defect.
- Breakage of glass except arising from faulty workmanship or material, shall not be the responsibility of the manufacturer.



2C-4, LEVEL 3, WISMA KING KOIL, JALAN SS 6/6, KELANA JAYA, 47301 PETALING JAYA, SELANGOR DARUL EHSAN, MALAYSIA. → 03- 78054748 (HUNTING LINE) 🖶 03- 78054723

www.agrow.com.my